

# metodo - pg 16 - Ex: Q - R

(File PDF da:IMSLP.org\_CreativeCommons4.0)

Ernest Shand (1868-1924)

Ex: Q.

1 4 3 1 1 2 4 1 3 1 4 1

1 = 120

2 5 10 9 9 7 0 2 3 5 7 9 7 5 2 0 3 2 1 2 0 5 3 0

3 2 1 1 4 1 4 1 4 3 1 3 1 1 1 4 1

1 2 2 0 3 2 3 2 0 5 9 9 7 10 2 5 4 2 4 2 0 2 0 5 9 12 9

3 1 4 1 3 4 4 2 1 1 4 3 1 1 2 4 1 3 1

7 5 2 5 2 4 0 7 5 5 3 2 0 2 5 10 9 9 7 0 2 3 5 7 9 7 7 5 2 0

Ex: R.

4 1 3 12

3 2 1 2 0 5 3 0 1 2 2 0 3 2 3 0 2 3 2

1 3 4

1

27 28 29 30 31 32 33

2 4 0 0 0 2 3 2 0 0 0 2 0 2 3 2 2 0 1 0 5 7 8 7 5 0 1 2

2

34 35 36 37 38 39 40

2 4 1 4 3 4 0 0 0 2 4 2 0 2 4 2 3 0 2 0 3 0 2 0 2 3 0 3

4

41 42 43 44 45 46 47

2 1 4 0 0 2 3 2 2 4 0 0 0 2 3 2 1 3 0 0 1 3 0 3 3 0 2 0 1 3 0 3

1 2

48 49 50 51 52 53 54

2 3 4 0 0 0 2 3 1 4 2 0 3 2 0 3 2 4 0 0 4 1 2 2 0 2 3 0 0 2 3 0

1 3

1 2 1 3

55 56 57 58 59 60 61

2 4 1 2 2 4 1 2 4 0 2 0 2 4 0 2 0 2 4 0 0 2 4 0 2 3 5 7

1

3

1 4

432

62 63 64 65 66 67 68 69

0 0 0 0 2 2 3 2 0 2 2 0 0 0 3 7 1212 2 0 0 0 2 0 0 0 0 0